

References A

1. An F. Y., Sulavik M. C., & Clewell D. B. (1999) Identification and Characterization of a Determinant (eep) on the Enterococcus faecalis Chromosome That Is Involved in Production of the Peptide Sex Pheromone cAD1. *The Journal of Bacteriology* 181: 5915-5921.
2. Bastian S. N., Carle I., & Grimont F. (1998) Comparison of 14 PCR systems for the detection and subtyping of stx genes in Shiga-toxin-producing Escherichia coli. *Research in Microbiology* 149: 457-472.
3. Bej A. K., Mahbubani M. H., Dicesare J. L., & Atlas R. M. (1991) Polymerase chain reaction-gene probe detection of microorganisms by using filter-concentrated samples. *Applied and Environmental Microbiology* 57: 3529-3534.
4. Bergeron M. G., Picard F. J., Ouellette M., & Roy P. H. Species-specific and universal DNA probes and amplification primers to rapidly detect and identify common bacterial pathogens and associated antibiotic resistance genes from clinical specimens for routine diagnosis in microbiology laboratories. US PTO 5,994,066. 1999.
Ref Type: Patent
5. Betzl D., Ludwig W., & Schleifer K. H. (1990) Identification of lactococci and enterococci by colony hybridization with 23S rRNA-targeted oligonucleotide probes. *Applied and Environmental Microbiology* 56: 2927-2929.
6. Cheng S., McCleskey F. K., Gress M. J., Petroziello J. M., Liu R., Namdari H., Beninga K., Salmen A., & DelVecchio V. G. (1997) A PCR assay for identification of Enterococcus faecium. *Journal of Clinical Microbiology* 35: 1248-1250.
7. Costa Y., Galimand M., Leclercq R., Duval J., & Courvalin P. (1993) Characterization of the chromosomal aac(6')-II gene specific for Enterococcus faecium. *Antimicrobial Agents and Chemotherapy* 37: 1896-1903.
8. Dutka-Malen S., Evers S., & Courvalin P. (1995) Detection of glycopeptide resistance genotypes and identification to the species level of clinically relevant enterococci by PCR [published erratum appears in J Clin Microbiol 1995 May;33(5):1434]. *Journal of Clinical Microbiology* 33: 24-27.
9. Feng P., Lum R., & Chang G. W. (1991) Identification of uidA gene sequences in beta-D-glucuronidase-negative Escherichia coli. *Applied and Environmental Microbiology* 57: 320-323.
10. Fratamico P. & Strobaugh T. P. (1998) Simultaneous detection of Salmonella spp and Escherichia coli O157:H7 by multiplex PCR. *Journal of Industrial Microbiology & Biotechnology* 21: 92-98.

11. Fratamico P. M., Bhaduri S., & Buchanan R. L. (1993) Studies on *Escherichia coli* serotype O157:H7 strains containing a 60-MDa plasmid and on 60-MDa plasmid-cured derivatives. *Journal of Medical Microbiology* 39: 371-381.
12. Grant M. A., Weagant S. D., & Feng P. (2001) Glutamate Decarboxylase Genes as a Prescreening Marker for Detection of Pathogenic *Escherichia coli* Groups. *Applied and Environmental Microbiology* 67: 3110-3114.
13. Hubner I., Steinmetz I., Obst U., Giebel D., & Bitter-Suermann D. (1992) Rapid determination of members of the family Enterobacteriaceae in drinking water by an immunological assay using a monoclonal antibody against enterobacterial common antigen. *Applied and Environmental Microbiology* 58: 3187-3191.
14. Karch H. & Meyer T. (1989) Single primer pair for amplifying segments of distinct Shiga-like-toxin genes by polymerase chain reaction. *Journal of Clinical Microbiology* 27: 2751-2757.
15. Ke D., Picard F. J., Martineau F., Menard C., Roy P. H., Ouellette M., & Bergeron M. G. (1999) Development of a PCR assay for rapid detection of enterococci [In Process Citation]. *Journal of Clinical Microbiology* 37: 3497-3503.
16. Kobayashi H., Shimada J., Nakazawa M., Morozumi T., Pohjanvirta T., Pelkonen S., & Yamamoto K. (2001) Prevalence and Characteristics of Shiga Toxin-Producing *Escherichia coli* from Healthy Cattle in Japan. *Applied and Environmental Microbiology* 67: 484-489.
17. Kuhn H. M., Meier-Dieter U., & Mayer H. (1988) ECA, the enterobacterial common antigen. *FEMS Microbiology Reviews* 4: 195-222.
18. Kunin C. M. (1963) Separation, characterization, and biological significance of a common antigen in *Enterobacteriaceae*. *J. Exp. Med.* 541-548.
19. Law D. (2000) Virulence factors of *Escherichia coli* O157 and other Shiga toxin-producing *E. coli*. *Journal of Applied Microbiology* 88: 729-745.
20. Leclerc H., Mossel D. A. A., Edberg S. C., & Struijk C. B. (2001) ADVANCES IN THE BACTERIOLOGY OF THE COLIFORM GROUP: Their Suitability as Markers of Microbial Water Safety. *Annual Review of Microbiology* 55: 201-234.
21. Lin Z., Kurazono H., Yamasaki S., & Takeda Y. (1993) Detection of Various Variant Verotoxin Genes in *Escherichia coli* by Polymerase Chain Reaction. *Microbiology And Immunology* 37: 543-548.
22. Malkamaki M. (1981) Antibodies to the enterobacterial common antigen: standardization of the passive hemagglutination test and levels in normal human sera. *Journal of Clinical Microbiology* 13: 1074-1079.

23. McDaniels A. E., Rice E. W., Reyes A. L., Johnson C. H., Haugland, R.A., & Stelma G. N., Jr. (1996) Confirmational identification of *Escherichia coli*, a comparison of genotypic and phenotypic assays for glutamate decarboxylase and beta-D-glucuronidase. *Applied and Environmental Microbiology* 62: 3350-3354.
24. Mittelman M. W., Habash M., Lacroix J.-M., Khoury A. E., & Krajden (1997) Rapid detection of Enterobacteriaceae in urine by fluorescent 16S rRNA in situ hybridization on membrane filters. *Journal of Microbiological Methods* 30: 153-160.
25. Nagano I., Kunishima M., Itoh Y., Wu Z., & Takahashi Y. (1998) Detection of verotoxin-producing *Escherichia coli* O157:H7 by multiplex polymerase chain reaction. *Microbiol. Immunol.* 42: 371-376.
26. Ohta M., Ina K., Kusuzaki K., Kido N., Arakawa Y., & Kato N. (1991) Cloning and expression of the rfe-rff gene cluster of *Escherichia coli*. *Molecular Microbiology* 5: 1853-1862.
27. Osek J. (2001) Multiplex polymerase chain reaction assay for identification of enterotoxigenic *Escherichia coli* strains. *J. Vet. Diagn. Invest* 13: 308-311.
28. Paton A. W., Paton J. C., Goldwater P. N., & Manning P. A. (1993) Direct detection of *Escherichia coli* Shiga-like toxin genes in primary fecal cultures by polymerase chain reaction. *Journal of Clinical Microbiology* 31: 3063-3067.
29. Public Health Laboratory Services (1994) The Microbiology of Water 1994 Part 1- Drinking Water. Report on Public Health and Medical Subjects No. 71. Methods for the examination of waters and associated materials., Sixth edition, Second impression 1995 edn. HMSO Books.
30. Read S. C., Clarke R. C., Martin A., De Grandis S. A., Hii J., McEwen S., & Gyles C. L. (1992) Polymerase chain reaction for detection of verocytotoxigenic *Escherichia coli* isolated from animal and food sources. *Molecular & Cellular Probes* 6: 153-161.
31. Schmidt H., Scheef J., Morabito S., Caprioli A., Wieler L. H., & Karch H. (2000) A new Shiga toxin 2 variant (Stx2f) from *Escherichia coli* isolated from pigeons. *Appl. Environ. Microbiol* 66: 1205-1208.
32. World Health Organization. Zoonotic non-O157 Shiga toxin-producing *Escherichia coli* (STEC). Report of a WHO scientific working group meeting. WHO/CSR/APH/98.8. 1998.
Ref Type: Report
33. Yamasaki S., Lin Z., Shirai H., Terai A., Oku Y., Ito H., Ohmura M., Karasawa T., Tsukamoto T., Kurazono H., & Takeda Y. (1996) Typing of verotoxins by DNA colony hybridization with poly- and oligonucleotide probes, a bead-enzyme-linked immunosorbent assay, and polymerase chain reaction. *Microbiol. Immunol.* 40: 345-352.